

CERES - CERTification of
 attn. Frau Regina Ordowski
 Environmental Standards GmbH
 Vorderhaslach Nr. 1
 91230 Happurg

Hamburg, 01.08.2017

Analytical report
AR-17-SP-075397-02


This report replaces report number: AR-17-SP-075397-01

Sample Code
388-2017-00070052

Order from:	12.06.2017
Reception date time:	19.06.2017
Sample name:	Tartary buckwheat
Client sample code:	CE_10551
Organic:	Yes
Name of Project:	Sichuan Huantai Biotechnology Co.,Ltd
Name of Subproject:	2#
Sampling date:	12.06.2017
Start analysis:	22.06.2017
End analysis:	28.06.2017

Analysis of pesticides
Analysis of pesticides

Organochlorine Pesticides and Pyrethroids (OC-61-01-DHY) (#)	PSP15	SP101
Method: ASU L00.00-34, DFG-S19, GC-ECD		
Organophosphorus Pesticides (OP-61-00-DHY) (#)	PSP15	SP104
Method: ASU L00.00-34, DFG-S19, GC-FPD		
Organonitrogen Pesticides (MS1+MS2) (MS-61-07-DHY) (#)	PSP15	SP111
Method: ASU L00.00-34, DFG-S19, GC-MS		
Quechers LC-XL-GHT (QuLC-02-01-GHT) (#)		SP914
Method: EN 15662:2008, P-14.141, LC-MS/MS		

This report replaces report number: AR-17-SP-075397-01

Test results

Parameter	Measurement	Dimension	Result	MRL	RL
-----------	-------------	-----------	--------	-----	----

No pesticides/parameters of above mentioned scope of analysis are detectable.

RL = Reporting Limit

MRL = Maximum Residue Level

(#) = Eurofins Dr. Specht Laboratorien (Hamburg) is accredited for this test.

JUDGEMENT

With respect to the results of the above mentioned analyses, samples of the same quality which carry the organic label can therefore be matched likewise as long as they comply with the requirements of EU Regulation 889/2008/EC (and its amendments).

A. Thies
 Analytical Service Manager (Andrea Thies)



This report replaces report number: AR-17-SP-075397-01

List of analysed substances:
SP101 Organochlorine Pesticides and Pyrethroids

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Aclonifen	0.01	Acrinathrin	0.01
Aldrin	0.002	Benfluralin	0.002
Bifenox	0.02	Bifenthrin	0.01
Binapacryl	0.01	Bromocyclen	0.01
Bromoxynil-octanoate	0.01	Butralin	0.02
Chlordane, cis-	0.002	Chlordane, oxy-	0.002
Chlordane, trans-	0.002	Chlorfenapyr	0.005
Chlorfenprop-methyl	0.01	Chlorfenson	0.01
Chloroneb	0.02	Chlorothalonil	0.01
Chlorthal-dimethyl	0.002	Cyfluthrin	0.01
Cyhalothrin, lambda-	0.01	Cypermethrin	0.01
Cypermethrin, alpha-	0.01	DDD, o,p-	0.002
DDD, p,p'-	0.002	DDE, o,p-	0.002
DDE, p,p'-	0.002	DDT, o,p'-	0.002
DDT, p,p'-	0.002	Deltamethrin	0.01
Diallate	0.1	Dibromobenzophenone, p,p-	0.01
Dichlobenil	0.005	Dichlone	0.02
Dichlorobenzophenone, o,p-	0.01	Dichlorobenzophenone, p,p-	0.01
Dicloran	0.002	Dicofol, o,p-	0.01
Dicofol, p,p-	0.01	Dieldrin	0.002
Dienochlor	0.01	Dinitramine	0.005
Dinobuton	0.01	Dinocap	0.1
Endosulfan sulphate	0.004	Endosulfan, alpha-	0.002
Endosulfan, beta-	0.002	Endrin	0.003
Endrin ketone	0.01	Esfenvalerate	0.01
Ethalfuralin	0.005	Etridiazole	0.01
Fenfluthrin	0.01	Fenpropathrin	0.01
Fenson	0.01	Fenvalerate (RR-/SS-Isomers)	0.01
Fenvalerate (RS-/SR-Isomers)	0.01	Flubenzimine	0.005
Fluchloralin	0.005	Flucythrinate	0.01
Flumetralin	0.005	Fluorodifen	0.01
Fluoroimide	0.02	Genite	0.01
Halfenprox	0.01	HCH, alpha-	0.002
HCH, beta-	0.004	HCH, delta-	0.002
HCH, epsilon-	0.002	Heptachlor	0.002
Heptachlor epoxide, cis-	0.002	Heptachlor epoxide, trans-	0.002
Hexachlorobenzene (HCB)	0.002	loxynil-octanoate	0.01
Isobenzan	0.002	Isodrin	0.002
Isopropalin	0.005	Lindane (gamma-HCH)	0.002

Page 3/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins | Dr. Specht Laboratorien GmbH · Postfach 90 02 64 · D-21079 Hamburg
 General Managers: Dr. Thomas Anspach, Ole Borchert.
 VAT No.: DE 238466739
 HRB 91731 AG Hamburg
 Nord/LB 135024461 (BLZ 250 500 00) IBAN DE82 2505 0000 0135 0244 61, BIC-/SWIFT-Code
 NOLADE2HXXX
 VAT DE 238466739

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



D-PL-14198-01-00

This report replaces report number: AR-17-SP-075397-01

SP101 Organochlorine Pesticides and Pyrethroids

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Methoxychlor	0.01	Mirex	0.002
Nitrapyrin	0.01	Nitrofen	0.003
Nonachlor, cis-	0.002	Nonachlor, trans-	0.002
Octachlorstyrene	0.01	Oxyfluorfen	0.005
Pendimethalin	0.005	Pentachloranisole	0.002
Pentachloroaniline	0.002	Pentachlorobenzene	0.005
Pentachlorothioanisole	0.002	Permethrin	0.01
Plifenate	0.01	Polychloroterpene (Camphechlor)	0.05
Profluralin	0.002	Quintozene	0.002
S 421	0.005	tau-Fluvalinate	0.01
Tecnazene	0.002	Tefluthrin	0.01
Tetradifon	0.005	Tetrasul	0.01
Tralomethrin	0.02	Transfluthrin	0.01
Triallate	0.01	Trichloronat	0.005
Trifluralin	0.002		

SP104 Organophosphorus Pesticides

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Acephate	0.01	Amidithion	0.01
Azinphos-ethyl	0.02	Azinphos-methyl	0.02
Bomyl	0.01	Bromfenvinphos	0.01
Bromophos-ethyl	0.01	Bromophos-methyl	0.01
Butamifos	0.01	Cadusaphos	0.01
Carbophenothion	0.01	Carbophenothion-methyl	0.01
Chlorfenvinphos	0.01	Chlormephos	0.01
Chlorpyrifos (-ethyl)	0.01	Chlorpyrifos-methyl	0.01
Chlorthion	0.01	Chlorthiophos	0.01
Coumaphos	0.02	Crufomate	0.01
Cyanofenphos	0.01	Cyanophos	0.01
Demeton-S-methyl	0.01	Demeton-S-methyl-sulfone	0.01
Diazinon	0.01	Dicapthon	0.01
Dichlofenthion	0.01	Dichlorvos	0.01
Dicrotophos	0.01	Dimefox	0.01
Dimethoate	0.01	Dimethylvinphos	0.01
Dioxabenzofos	0.01	Dioxathion	0.01
Disulfoton	0.01	Disulfoton-sulfon	0.01
Ditalimfos	0.01	Edifenphos	0.01
EPN	0.01	Ethion	0.01
Ethoprophos	0.01	Etrimfos	0.01

Page 4/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins | Dr. Specht Laboratorien GmbH · Postfach 90 02 64 · D-21079 Hamburg
 General Managers: Dr. Thomas Anspach, Ole Borchert.
 VAT No.: DE 238466739
 HRB 91731 AG Hamburg
 Nord/LB 135024461 (BLZ 250 500 00) IBAN DE82 2505 0000 0135 0244 61, BIC-/SWIFT-Code
 NOLADE2HXXX
 VAT DE 238466739



D-PL-14198-01-00

This report replaces report number: AR-17-SP-075397-01

SP104 Organophosphorus Pesticides

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Famophos	0.01	Fenamiphos	0.01
Fenchlorphos	0.01	Fenitrothion	0.01
Fensulfothion	0.01	Fensulfothion-oxon-sulfone	0.03
Fenthion	0.01	Fenthion-oxon-sulfone	0.02
Fenthion-sulfone	0.02	Fenthion-sulfoxide	0.01
Fonofos	0.01	Formothion	0.01
Fosthiazate	0.01	Fosthietan	0.01
Heptenophos	0.01	Iodofenphos	0.01
Iprobenfos	0.01	Isocarbofos	0.01
Isofenphos	0.01	Isofenphos-methyl	0.01
Isoxathion	0.02	Leptophos	0.02
Malaoxon	0.01	Malathion	0.01
Mecarbam	0.01	Mephosfolan	0.01
Methacriphos	0.01	Methamidophos	0.01
Methidathion	0.01	Mevinphos	0.01
Monocrotophos	0.01	Morphothion	0.02
N-Desethyl-pirimiphos-methyl	0.01	Omethoate	0.01
Oxydemeton-methyl	0.02	Paraoxon-ethyl	0.01
Paraoxon-methyl	0.01	Parathion	0.01
Parathion-methyl	0.01	Phenkapton	0.02
Phenthoate	0.01	Phorate	0.01
Phorate-sulfone	0.01	Phorate-sulfoxide	0.01
Phosalone	0.02	Phosfolan	0.01
Phosmet	0.02	Phosphamidon	0.01
Pirimiphos-ethyl	0.01	Pirimiphos-methyl	0.01
Profenofos	0.01	Propaphos	0.01
Propetamphos	0.01	Prothiofos	0.01
Prothoate	0.01	Pyraclofos	0.02
Pyrazophos	0.02	Pyridaphenthion	0.01
Pyrimitate	0.01	Quinalphos	0.01
Quintiofos	0.01	Sulfotep	0.01
Sulprofos	0.02	TEPP	0.01
Terbufos	0.01	Tetrachlorvinphos	0.01
Thiometon	0.01	Thionazin	0.01
Tolclofos-methyl	0.01	Triamiphos	0.02
Triazophos	0.01	Trichlorfon	0.03
Trichloronat	0.01	Vamidothion	0.02

This report replaces report number: AR-17-SP-075397-01

SP111 Organonitrogen Pesticides (MS1+MS2)

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
2-Phenylphenol	0.01	Alachlor	0.01
Ametryn	0.01	Aminocarb	0.01
Atrazine	0.01	Benalaxyl	0.01
Bendiocarb	0.01	Biphenyl	0.01
Bitertanol	0.01	Bromacil	0.01
Bromopropylate	0.01	Bupirimate	0.01
Buprofezin	0.01	Carbaryl	0.01
Carbofuran	0.01	Chloridazone	0.01
Chlorobenzilate/Chloropropylate	0.01	Chlorpropham	0.01
Cyanazine	0.01	Cyproconazole	0.01
Desmetryn	0.01	Dichlobenil	0.01
Dichlofluanid	0.01	Diethyltoluamide	0.01
Diflubenzuron	0.01	Dimethylaminosulphotoluidide (DMST)	0.01
Dimethylphenylsulfamide (DMSA)	0.01	Dioxacarb	0.01
Diphenylamine	0.01	Diuron/Linuron/Neburon	0.01
Etofenprox	0.01	Fenarimol	0.01
Fenazaquin	0.01	Fenoxycarb	0.01
Fenpropimorph	0.01	Flamprop-methyl	0.01
Fluazifop-P-butyl	0.01	Flusilazole	0.01
Furathiocarb	0.01	Hexaconazole	0.01
Hexazinone	0.01	Imazalil	0.01
Iprodione	0.01	Lenacil	0.01
Metalaxyl	0.01	Methabenzthiazuron	0.01
Methiocarb	0.01	Metolachlor	0.01
Metribuzin	0.01	Myclobutanil	0.01
Oxadiazon	0.01	Oxadixyl	0.01
Penconazole	0.01	Pendimethalin	0.01
Piperonyl butoxide	0.01	Pirimicarb	0.01
Pirimicarb, desmethyl-	0.01	Procymidone	0.01
Promecarb	0.01	Prometryn	0.01
Propachlor	0.01	Propargite	0.01
Propazine	0.01	Propham	0.01
Propiconazole	0.01	Propoxur	0.01
Propyzamide	0.01	Pyrimethanil	0.01
Sebuthylazine	0.01	Simazine	0.01
Tebuconazole	0.01	Teflubenzuron	0.01
Terbuthylazine	0.01	Terbutryn	0.01
Tetradifon	0.01	Tetrahydrophthalimide (THPI)	0.01
Thiabendazole	0.01	Tolyfluanid	0.01
Triadimefon	0.01	Triadimenol	0.01
Triflumizole	0.01	Triflumuron	0.01

Page 6/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins | Dr. Specht Laboratorien GmbH · Postfach 90 02 64 · D-21079 Hamburg
 General Managers: Dr. Thomas Anspach, Ole Borchert.
 VAT No.: DE 238466739
 HRB 91731 AG Hamburg
 Nord/LB 135024461 (BLZ 250 500 00) IBAN DE82 2505 0000 0135 0244 61, BIC-/SWIFT-Code
 NOLADE2HXXX
 VAT DE 238466739

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



D-PL-14198-01-00

This report replaces report number: AR-17-SP-075397-01

SP111 Organonitrogen Pesticides (MS1+MS2)

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Trifluralin	0.01	Trinexapac-ethyl	0.01
Vinclozolin	0.01		

SP914 Quechers LC-XL-GHT

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
2,4-D	0.02	3-Hydroxycarbofuran	0.01
Abamectin	0.02	Acetamiprid	0.01
Acrinathrin	0.01	Aldicarb	0.01
Aldicarb-sulfone	0.01	Aldicarb-sulfoxide	0.01
Aminocarb	0.01	Amitraz	0.01
Atrazine	0.01	Azadirachtin	0.02
Azinphos-methyl	0.03	Azoxystrobin	0.01
Benalaxyl	0.01	Bendiocarb	0.01
Benfuracarb	0.02	Bensulide	0.05
Bentazone	0.01	Benthiavalicarb, isopropyl-	0.01
Benzethonium Chloride	0.1	Benzyldimethyldodecylammonium chloride (BAC-C12)	0.1
Bitertanol	0.01	Boscalid	0.01
Bromoxynil	0.01	Bromuconazole, cis-	0.01
Bromuconazole, trans-	0.01	Bupirimate	0.01
Buprofezin	0.01	Butocarboxim	0.02
Butocarboxim-sulfoxide	0.02	Butoxycarboxim	0.01
Carbaryl	0.01	Carbendazim	0.01
Carbendazim/Benomyl (sum)	0.01	Carbofuran	0.01
Carbosulfan	0.01	Carboxin	0.01
Carfentrazone-ethyl	0.5	Cetalkonium chloride (BAC-C16)	0.1
Chlorantraniliprole	0.01	Chlorbromuron	0.01
Chlorbufam	0.02	Chlorfluazuron	0.01
Chloridazone	0.02	Chlorotoluron	0.01
Chloroxuron	0.01	Chlorpropham	0.03
Chlorpyrifos (-ethyl)	0.02	Chlorpyrifos-methyl	0.03
Cinidon-ethyl	0.01	Clefoxydim	0.01
Clethodim	0.01	Clofentezine	0.01
Clomazone	0.01	Clopyralid	0.2
Clothianidin	0.01	Cyazofamid	0.01
Cycloxydim	0.01	Cymoxanil	0.01
Cyproconazole	0.01	Cyprodinil	0.01
Cyromazine	0.05	DDAC C10 - Didecyldimethylammoniumchloride	0.1

Page 7/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins | Dr. Specht Laboratorien GmbH · Postfach 90 02 64 · D-21079 Hamburg
 General Managers: Dr. Thomas Anspach, Ole Borchert.
 VAT No.: DE 238466739
 HRB 91731 AG Hamburg
 Nord/LB 135024461 (BLZ 250 500 00) IBAN DE82 2505 0000 0135 0244 61, BIC-/SWIFT-Code
 NOLADE2HXXX
 VAT DE 238466739



D-PL-14198-01-00

This report replaces report number: AR-17-SP-075397-01

SP914 Quechers LC-XL-GHT

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Demeton-S-methyl	0.01	Demeton-S-methyl-sulfone	0.01
Desmedipham	0.01	Diafenthuron	0.01
Diazinon	0.01	Diethofencarb	0.01
Diethyltoluamide	0.01	Difenoconazole	0.01
Difenoconazole	0.01	Diflubenzuron	0.01
Dimefuron	0.02	Dimethenamid	0.01
Dimethoate	0.01	Dimethomorph	0.01
Diniconazole	0.01	Dinotefuran	0.01
Dioxacarb	0.02	Diuron	0.01
Dodine	0.5	Emamectin	0.02
Epoxiconazole	0.01	Ethiofencarb	0.01
Ethiofencarb-sulfone	0.01	Ethiofencarb-sulfoxide	0.01
Ethofumesate	0.02	Ethoxyquin	0.02
Etofenprox	0.02	Fenarimol	0.01
Fenazaquin	0.01	Fenbuconazole	0.01
Fenhexamid	0.01	Fenobucarb	0.01
Fenoxycarb	0.01	Fenpropimorph	0.01
Fenpyroximate	0.01	Fipronil	0.01
Fipronil, desulfinyl-	0.01	Fipronil-sulfide	0.01
Fipronil-sulfone	0.01	Flazasulfuron	0.01
Fonicamid	0.02	Fluazifop-P	0.02
Fluazifop-P-butyl	0.02	Fluazinam	0.01
Flubendiamide	0.01	Fludioxonil	0.01
Flufenacet	0.01	Flufenoxuron	0.01
Fluopicolid	0.01	Fluopyram	0.01
Fluoxastrobin	0.1	Flusilazole	0.01
Forchlorfenuron	0.01	Formetanate	0.05
Fosthiazate	0.01	Fuberidazole	0.01
Furalaxyl	0.01	Furathiocarb	0.01
Haloxypop	0.02	Hexaconazole	0.01
Hexaflumuron	0.01	Hexythiazox	0.01
Imazalil	0.01	Imibenconazole	0.01
Imidacloprid	0.01	Indoxacarb	0.01
Iprodione	0.01	Iprovalicarb	0.01
Isoprocarb	0.01	Isoproturon	0.02
Isoxaflutole	0.01	Kresoxim-methyl	0.02
Linuron	0.01	Lufenuron	0.01
Malathion	0.01	Mandipropamid	0.02
MCPA	0.05	MCPB	0.05
Mepanipyrim	0.01	Metaflumizone	0.01
Metalaxyl	0.01	Metamitron	0.01

Page 8/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins | Dr. Specht Laboratorien GmbH · Postfach 90 02 64 · D-21079 Hamburg
 General Managers: Dr. Thomas Anspach, Ole Borchert.
 VAT No.: DE 238466739
 HRB 91731 AG Hamburg
 Nord/LB 135024461 (BLZ 250 500 00) IBAN DE82 2505 0000 0135 0244 61, BIC-/SWIFT-Code
 NOLADE2HXXX
 VAT DE 238466739

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



D-PL-14198-01-00

This report replaces report number: AR-17-SP-075397-01

SP914 Quechers LC-XL-GHT

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Methabenzthiazuron	0.01	Methamidophos	0.05
Methidathion	0.01	Methiocarb	0.01
Methiocarb-sulfone	0.01	Methiocarb-sulfoxide	0.01
Methomyl	0.01	Methoxyfenozide	0.01
Metolachlor	0.01	Metolcarb	0.01
Metoxuron	0.01	Metribuzin	0.01
Miristalkonium chloride (BAC-C14)	0.1	Monolinuron	0.01
Monuron	0.01	Myclobutanil	0.01
Neburon	0.01	Nitenpyram	0.05
Novaluron	0.01	Nuarimol	0.01
Omethoate	0.02	Oxadixyl	0.02
Oxamyl	0.01	Oxydemeton-methyl	0.02
Penconazole	0.01	Pencycuron	0.01
Pendimethalin	0.1	Penflufen	0.05
Phenmedipham	0.01	Phosalone	0.03
Phosmet	0.01	Phoxim	0.01
Piperonyl butoxide	0.01	Pirimicarb	0.01
Pirimicarb, desmethyl-	0.01	Pirimicarb, desmethyl-formamido-	0.01
Pirimiphos-methyl	0.01	Prochloraz	0.01
Procymidone	0.05	Promecarb	0.01
Propamocarb	0.01	Propaquizafop	0.01
Propargite	0.01	Propham	0.05
Propiconazole	0.01	Propoxur	0.01
Propoxycarbazone	0.01	Prosulfocarb	0.01
Prothioconazole	0.01	Pymetrozine	0.02
Pyraclostrobin	0.01	Pyrethrins	0.02
Pyridaben	0.01	Pyridate	0.1
Pyrimethanil	0.01	Pyriproxyfen	0.01
Quinoxyfen	0.01	Quizalofop	0.05
Rimsulfuron	0.01	Rotenone	0.01
Sethoxydim	0.01	Simazine	0.01
Spinetoram	0.1	Spinosad	0.01
Spirodiclofen	0.01	Spiromesifen	0.01
Spirotetramat	0.01	Spirotetramat-enol	0.1
Spirotetramat-enolglucoside	0.1	Spirotetramat-ketohydroxy	0.1
Spirotetramat-monohydroxy	0.1	Spiroxamine	0.01
Sulfentrazone	0.01	Tebuconazole	0.01
Tebufenozide	0.01	Tebufenpyrad	0.01
Teflubenzuron	0.01	Tepaloxymid	0.01
Terbacil	0.01	Terbutylazine	0.01
Tetraconazole	0.01	Thiabendazole	0.01

This report replaces report number: AR-17-SP-075397-01

SP914 Quechers LC-XL-GHT

Substance	Reporting Limit mg/kg	Substance	Reporting Limit mg/kg
Thiacloprid	0.01	Thiamethoxam	0.01
Thiodicarb	0.01	Thiofanox	0.05
Thiofanox-sulfone	0.01	Thiofanox-sulfone	0.01
Thiofanox-sulfoxide	0.02	Thiofanox-sulfoxide	0.02
Thiophanate-methyl	0.02	Tolclofos-methyl	0.05
Tralkoxydim	0.01	Triadimefon	0.01
Triadimenol	0.02	Tricyclazole	0.01
Tridemorph	0.01	Trifloxystrobin	0.01
Triflumizole	0.01	Triflumuron	0.01
Triforine	0.01	Trimethycarb, 3,4,5-	0.01
XMC	0.01	Zoxamide	0.01

Page 10/10

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins | Dr. Specht Laboratorien GmbH · Postfach 90 02 64 · D-21079 Hamburg
 General Managers: Dr. Thomas Anspach, Ole Borchert.
 VAT No.: DE 238466739
 HRB 91731 AG Hamburg
 Nord/LB 135024461 (BLZ 250 500 00) IBAN DE82 2505 0000 0135 0244 61, BIC-/SWIFT-Code
 NOLADE2HXXX
 VAT DE 238466739

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



D-PL-14198-01-00

Sample / 样品 ID: CE_10551

Description of sample / 样品描述:

Bitter Buckwheat

taken by / 取样人员:

柯志强

at company / 公司:

Sichuan Huatai Biotechnology Co., Ltd

Lot n° / 批号:

Weight / 重量 (kg):


200g

Date / 日期:

2017.6.6

packed and sealed / 包装封口:

1. Signature / 签字 (CERES)



2. Signature company / 公司签字

